

seadec
doors for living...



SEADEC

SEADEC DOORS bring warmth, style and prestige to your home and have been the chosen brand for designers, architects and homeowners for many years. Our bespoke range of doors and finishes have been specially selected for the Irish market covering modern, contemporary and traditional styles. Our large selection of doors are available in eight standard sizes which makes choosing a door that's right for your project easy. We also stock an extended range of metric sizes for Fire Doors. Our range of door frames, skirting and architrave are designed to complement each collection for a flawless designer look.

We are committed to sourcing all our doors and mouldings from well managed and sustainable sources. Our company has achieved both FSC® and PEFC Chain of Custody certification and all doors are made to the highest industry standards using quality materials that stand the test of time. We are an Irish owned company and our products are available nationwide from all leading builders providers, DIY and door specialists.



**Lismore grooved curved glazed image in front cover.*





KINGSCOURT WHITE 4 PANEL

seadec

doors for living...

LAMINATE DOORS	04
REGENCY DOORS	12
WHITE PRIMED DOORS	16
EXCLUSIVE GREY RANGE	34
OAK DOORS	38
SEADec FIRE DOORS	44
IRMADE FIRE DOORS	50
WHITE PRIMED MOULDINGS	54
OAK MOULDINGS	58
DOOR SIZES & SPECIFICATIONS	60
CARE AND INSTALLATION GUIDE	62
HOW TO FINISH A WHITE PRIMED DOOR	63

NEW RANGE

LAMINATE DOORS

LAMINATE DOORS Our new range has a solid laminated finish emulating natural wood's pattern and structure making them a good choice for your home.

This new range is designed for stability and high durability using a special coating that prolongs the lifespan of our doors. Choose from a wide range of quality internal doors available in the latest colour trends.

**We cannot guarantee the brochure colours will be an exact match to the actual product.*

Selection prior to fitting is the sole responsibility of the installer and end user.

Laminate doors cannot be altered in size as the sides are fully laminated.

Frame sizes must be the exact size for the door.





HAMPTON ALPINE OAK
1 PANEL SHAKER

AVAILABLE IN CLEAR OR OPAQUE GLASS



CHESHIRE ALPINE OAK
1 PANEL SHAKER PRE-GLAZED



KINGSTON CREMA OAK
2 PANEL

AVAILABLE IN CLEAR OR OPAQUE GLASS



ALBANY CREMA OAK
2 PANEL PRE-GLAZED



HAMPTON OAK NATURAL
1 PANEL SHAKER

AVAILABLE IN CLEAR OR OPAQUE GLASS



CHESHIRE NATURAL OAK
1 PANEL SHAKER PRE-GLAZED

NEW
DOORS

44
MM



LAMINATE DOORS This new range is designed for stability and high durability using a special coating that prolongs the lifespan of our doors. Choose from a wide range of quality internal doors available in the latest colour trends. Laminate doors cannot be altered in size as the sides are fully laminated. Frame sizes must be the exact size for the door.





HAMPTON ARCTIC OAK
1 PANEL SHAKER

AVAILABLE IN CLEAR OR OPAQUE GLASS



CHESHIRE ARCTIC OAK
1 PANEL SHAKER PRE-GLAZED



AUGUSTA NATURAL OAK
4 PANEL SHAKER

AVAILABLE IN CLEAR OR OPAQUE GLASS



COLUMBUS NATURAL OAK
4 PANEL SHAKER PRE-GLAZED

NEW
DOORS

44
MM



LAMINATE DOORS This new range is designed for stability and high durability using a special coating that prolongs the lifespan of our doors. Choose from a wide range of quality internal doors available in the latest colour trends. Laminate doors cannot be altered in size as the sides are fully laminated. Frame sizes must be the exact size for the door.



AVAILABLE IN CLEAR OR PRINTED GLASS



BOSTON OAK LISMORE
GROOVE CURVED GLAZED



BOSTON OAK PORTROE
GROOVE CURVED



BOSTON OAK NEVADA
SHEETED



BOSTON OAK NEVADA
CLEAR GLASS

NEW
DOORS

44
MM



LAMINATE DOORS This new range is designed for stability and high durability using a special coating that prolongs the lifespan of our doors. Choose from a wide range of quality internal doors available in the latest colour trends. Laminate doors cannot be altered in size as the sides are fully laminated. Frame sizes must be the exact size for the door. Our Boston door is made differently and has a painted lipping which can be resized.

REGENCY DOORS

REGENCY DOORS are made with a wood fibre press panel, which provides an elegant range of designs to choose from. Regency doors are unfinished and must be finished on site. It is very important that the doors are sealed immediately after they are brought to site for installation. It is important to also to seal the top and the bottom of the door.





REGENCY

Seadec



2P/2L WOOD GRAIN
CLEAR GLASS



6 PANEL WOOD GRAIN



2 PANEL SMOOTH



Regency doors are made with a wood fibre press panel, which provides an elegant range of designs to choose from. Regency doors are unfinished and must be finished on site. It is very important that the doors are sealed immediately after they are brought to site for installation. It is important to also to seal the top and the bottom of the door.

WHITE PRIMED DOORS

WHITE PRIMED DOORS allow you create a relaxing and classical finish to your home. These doors have laminated solid timber stiles for stability and MDF cover panels for a smooth consistent finish. The white primed finish provides a good base for finishing coats. White primed engineered doors achieve a smoother finish than traditional timber doors and eliminate the transfer of wood grain.





WHITE PRIMED

Seadec

**NEW
DOORS**



SYDNEY WHITE
2 PANEL



DARWIN WHITE
2 PANEL CLEAR GLASS



DARWIN WHITE
2 PANEL FROSTED PRINTED



WHITE PRIMED DOORS can provide both traditional and modern designs to enhance any home, we have now increased the selection of designs that are available in our white primed range. The beauty of white primed doors is that you can customise the finishing colour to your liking, the white primed finish provides an excellent base for finishing coats.



AVAILABLE IN CLEAR GLASS



ARIZONA WHITE
9 PANEL PRE-GLAZED
FLAT CLEAR GLASS



CAMBRIDGE WHITE
4 PANEL




OXFORD WHITE
TOP 2 PANEL UNGLAZED



NEVADA WHITE
SHEETED

ALSO AVAILABLE IN PLAIN CLEAR GLASS



NEVADA WHITE
FROSTED PRINTED GLASS
WITH VERTICAL CLEAR LINES

42
MM



WHITE PRIMED DOORS can provide both traditional and modern designs to enhance any home, we have now increased the selection of designs that are available in our white primed range. The beauty of white primed doors is that you can customise the finishing colour to your liking, the white primed finish provides an excellent base for finishing coats.





KINGSCOURT WHITE
4 PANEL



WATERFORD WHITE
TOP 2 PANEL UNGLAZED



SOMERSET
PRINTED FROSTED
GLASS WITH 30MM
CLEAR BORDER



SUSSEX
5 PLANK COTTAGE

**42
MM**




WHITE PRIMED DOORS can provide both traditional and modern designs to enhance any home, we have now increased the selection of designs that are available in our white primed range. The beauty of white primed doors is that you can customise the finishing colour to your liking, the white primed finish provides an excellent base for finishing coats.



WHITE PRIMED

Seadec



The **Bollection**
Raised Mould adds
a touch of **class**
and **elegance...**



KINGSTON BOLECTION
2 PANEL RAISED



ALBANY BOLECTION
2 PANEL GLAZED



ASHFORD
4P RAISED BOLECTION



AVOCA
4P RAISED BOLECTION
UNGLAZED

AVAILABLE IN CLEAR OR FROSTED PRINTED GLASS

42
MM



WHITE PRIMED DOORS can provide both traditional and modern designs to enhance any home, we have now increased the selection of designs that are available in our white primed range. The beauty of white primed doors is that you can customise the finishing colour to your liking, the white primed finish provides an excellent base for finishing coats.





TRENTON WHITE
1 PANEL SHAKER STEPPED

AVAILABLE IN CLEAR OR FROSTED PRINTED GLASS



MADISON WHITE
1 PANEL SHAKER STEPPED



HAMPTON WHITE
1 PANEL SHAKER

AVAILABLE IN CLEAR OR FROSTED PRINTED GLASS



CHESHIRE WHITE
1 PANEL SHAKER PRE-GLAZED



CHESHIRE WHITE
1 PANEL SHAKER PRE-GLAZED
FROSTED WITH 30MM CLEAR BORDER

**42
MM**



WHITE PRIMED DOORS can provide both traditional and modern designs to enhance any home, we have now increased the selection of designs that are available in our white primed range. The beauty of white primed doors is that you can customise the finishing colour to your liking, the white primed finish provides an excellent base for finishing coats.



AVAILABLE IN CLEAR OR FROSTED PRINTED GLASS



AUGUSTA WHITE
4 PANEL SHAKER


AVAILABLE IN CLEAR OR FROSTED PRINTED GLASS



COLUMBUS WHITE
4 PANEL GLAZED

WHITE PRIMED

Seadec



WOODFORD
1P SHAKER DOUBLE HIP

AVAILABLE IN CLEAR OR OPAQUE GLASS



CARRICK
1P SHAKER DOUBLE HIP
GLAZED



PORTROE
GROOVED CURVED

AVAILABLE IN CLEAR OR FROSTED PRINTED GLASS




LISMORE
GROOVED CURVED
GLAZED

42
MM



WHITE PRIMED DOORS can provide both traditional and modern designs to enhance any home, we have now increased the selection of designs that are available in our white primed range. The beauty of white primed doors is that you can customise the finishing colour to your liking, the white primed finish provides an excellent base for finishing coats.






COLORADO WHITE
5 PANEL




DAKOTA WHITE
4 VERTICAL LINES



IDAHO WHITE
2 VERTICAL LINES



UTAH WHITE
LADDER EFFECT




OHIO WHITE
HORIZONTAL LADDER



WHITE PRIMED DOORS can provide both traditional and modern designs to enhance any home, we have now increased the selection of designs that are available in our white primed range. The beauty of white primed doors is that you can customise the finishing colour to your liking, the white primed finish provides an excellent base for finishing coats.



FINISHES



WHITE PRIMED



OAK




GREY PRINTED

ALL DOORS ARE AVAILABLE IN CLEAR OR OPAQUE GLASS



DELAWARE (DFG41)
SINGLE PANEL GLASS

ALL DOORS ARE AVAILABLE IN CLEAR OR OPAQUE GLASS



MARYLAND (DFG20)
4 SQUARE GLASS



WHITE PRIMED DESIGN GLASS. Our glass design range is complemented with two glass design options. Glass doors can be ordered in white primed, pre-finished oak and grey. These doors are available in clear or opaque glass. Please allow 3-4 weeks for delivery of your bespoke order.

EXCLUSIVE GREY RANGE

EXCLUSIVE GREY RANGE In the world of interior design, there's no hotter colour than grey. Although it might sound dull, styling your home with grey tones instantly adds a classy and chic finish to any room, and even though it's been used for a few years now, grey is a trend that is not going away.

**We cannot guarantee the brochure colours will be an exact match to the actual product.
Selection prior to fitting is the sole responsibility of the installer and end user.*





GENOA
RAISED FEATURE



NAPOLI
RAISED FEATURE



TUSCANY
RAISED FEATURE



FLORENCE
HORIZONTAL GRAIN
& RAISED FEATURE



TUSCANY
CLEAR OR OPAQUE GLASS



GENOA



NAPOLI
CLEAR OR OPAQUE GLASS



EXCLUSIVE GREY RANGE The Genoa and Napoli Oak Grained Grey internal door is guaranteed to add character to your room and complement your existing interior decor. The intricate pattern of the Oak Grain creates a truly unique design, adding to the quality appearance of the door and creating a striking central feature. The raised inset feature of the Genoa and Florence doors will add a designer look and style to any surroundings creating a look that is unique in today's market.

OAK DOORS

WHITE OAK DOORS remain very popular both in traditional and contemporary ranges due to their rich finish. White primed skirting and architrave finished to contrast with oak door is becoming a bespoke finish. The beauty of oak is that it can be finished with complementary oak mouldings or contrasted.




All Seadec oak doors come prefinished with high performance Crystal Shield

**Seadec doors are natural products and we cannot guarantee the brochure colours will be an exact match to the actual product. Selection prior to fitting is the sole responsibility of the installer and end user.*

OAK

Seadec





ARIZONA OAK
9P CLEAR BEVEL GLASS



NEVADA OAK
SHEETED



HAMPTON OAK
1 PANEL SHAKER



AVAILABLE IN CLEAR OR OPAQUE GLASS

CHESHIRE OAK
1 PANEL SHAKER PRE-GLAZED



AUGUSTA OAK
4 PANEL SHAKER



AVAILABLE IN CLEAR OR OPAQUE GLASS

COLUMBUS OAK
4 PANEL SHAKER PRE-GLAZED



WHITE OAK provides a richness that is hard to beat for your home. Our white oak doors are made to highest standards using American white oak veneers. All our Seadec oak doors come with crystal shield lacquer which provides a superior finish that can be easily appreciated when you touch our doors.





KINGSCOURT OAK
4 PANEL



WATERFORD OAK
2 TOP PANEL UNGLAZED



WATERFORD OAK
2 TOP PANEL CLEAR GLASS




WATERFORD OAK
2 TOP PANEL OPAQUE GLASS



WHITE OAK provides a richness that is hard to beat for your home. Our white oak doors are made to highest standards using American white oak veneers. All our Seadec oak doors come with crystal shield lacquer which provides a superior finish that can be easily appreciated when you touch our doors.

FIRE DOORS

FIRE DOORS Seadec offer a select range of doors in EI30 and FD30 to complement our existing door range. All of our fire doors are fully accredited by Fire Test Assessment reports, which are available on request and provide detailed information on the door's scope of use. It is essential that fire doors are fitted in accordance with the certification which will also explain specification of door frame, intumescent materials and ironmongery.



44
MM





**EI30
HAMPTON
WHITE**
1 PANEL SHAKER



**EI30
NEVADA
WHITE**
SHEETED



**EI30
YORK
WHITE**
2 PANEL



**EI30
NEWBURY
WHITE**
1 PANEL



**FD30
CHESHIRE
WHITE**
1 PANEL CLEAR PRE-GLAZED



**EI30
TRENTON
WHITE**
1 PANEL SHAKER STEPPED

We now offer a select range of white primed and oak doors in EI30 / FD30 (30 minute rating) to complement our existing door range. All of our fire doors are fully accredited by Fire Test Assessment reports, which are available on request and provide detailed information on the door's scope of use. It is essential that fire doors are fitted in accordance with the certification which will also explain specification of the door frame, intumescent materials and ironmongery.



44
MM





**EI30
UTAH
OAK**

LADDER EFFECT



**FD30
CHESHIRE
OAK**

1 PANEL SHAKER
CLEAR PRE-GLAZED



**FD30
KINGSCOURT
OAK**

4 PANEL




**FD30
HAMPTON
OAK**

1 PANEL SHAKER

We now offer a select range of white primed and oak doors in EI30 / FD30 (30 minute rating) to complement our existing door range. All of our fire doors are fully accredited by Fire Test Assessment reports, which are available on request and provide detailed information on the door's scope of use. It is essential that fire doors are fitted in accordance with the certification which will also explain specification of door frame, intumescent materials and ironmongery.

FIRE DOORS



EI30 FIRE FRAME



EI60 FIRE FRAME

Irmade are European leaders in fire doors and their reputation has been built on quality of product. All Irmade doors are backed up by certification from BWF Certifire and Afiti. All fire doors are supported by fully accredited Fire Test Assessment reports. It is essential that fire doors are fitted in accordance with the certification which will also explain the specification of door frame, intumescent materials and ironmongery.

Veneered and print finished doors have 2 coats of high quality UV clear acrylic satin finish - this finish provides a quality surface, enhancing the doors natural beauty. Glazing options - we can offer clear glass in EI30 or EI60 and GWPP safety glass in FD30.

Stay Safe with Irmade Fire Door Solutions

- Tests as per EN 1634-1 and BS476.22 Standards
- Fire doors certified by accredited laboratories
- Factory approved glazing
- Bespoke design and dimensions
- Acoustic and Security Options
- Tested with Astra and Rutland concealed door closers



EI30 / EI60
FIRE RATING



THERMAL
TRANSMISSION



HIGH
DURABILITY



ANTISMOKE
SEAL



MOBILITY
SUITABLE





**EI30 / EI60 FIRE DOOR
WHITE**
WHITE PRIMED FLUSH



**EI30 / EI60 FIRE DOOR
GREY DESIGN**
PREFINISHED FLUSH



**EI30 / EI60 FIRE DOOR
OAK VENEERED**
PREFINISHED FLUSH

THESE GLASS DOORS ARE AVAILABLE IN


- White Primed
- Grey Design Prefinished
- Oak Veneered Prefinished

EI 30 / EI 60 GLASS FIRE DOORS

MODEL	G/WIRE FD30	CLEAR EI30	G/WIRE FD60	CLEAR EI60
DFG56	X	X	X	X
DFG34	X	X	X	X
DFG01	X	X	X	X
DFG41		X		
DFG20	X	X	X	X



DFG56



DFG34



DFG01



DFG41



DFG20



IRMADE are European leaders in fire doors and their reputation has been built on quality of product. All Irmade doors are backed up by certification and fully accredited Fire Test Assessment reports. Uniquely, Irmade fire doors can be cut for vision panels as they have a solid chipboard core, unlike many competitors which have semi-solid cores. EI30 Doors with EI glass are 44mm with 15mm glass and the EW Glass has a thickness of 7mm. EI60 door are 54mm thick and have EI60 glass with a thickness of 23mm.

IRMADE FIRE DOOR OPAL RANGE

M.T.O

Irmade are European leaders in fire doors and their reputation has been built on quality of product. Through the Opal range we offer a large selection of high quality prefinished printed design colours to choose from. These prints create unbelievable colours with depth and character which also deliver consistency between every door which is vital for high quality finish on large projects.

We would be happy to meet with you to help create a finish and specification for your project, please note that the minimum order from the Opal range is 200 doors per colour.


M.T.O - Made to Order.

Available for large projects only.

Large selection of colours available.

Minimum order 200 doors.


Available only in flush EI30 & EI60 Firedoors.



SD101VG



SD201VG



SD301VG



SD701HG



SD401VG



SD501VG



SD601VG

HG HORIZONTAL GRAIN

VG VERTICAL GRAIN

White Primed Skirting & Architrave



169 X 18 X 4200 mm
WHITE **GEORGIAN**
SKIRTING PRIMED



144 X 18 X 4200 mm
WHITE **DOUBLE SHAKER**
SKIRTING PRIMED



144 X 18 X 4200 mm
WHITE **MOULDED**
SKIRTING PRIMED



144 X 18 X 4200 mm
WHITE **CHAMFERED**
SKIRTING PRIMED



94 X 18 X 2200 mm
WHITE **GEORGIAN**
ARCHITRAVE PRIMED



94 X 18 X 2200 mm
WHITE **DOUBLE SHAKER**
ARCHITRAVE PRIMED



69/94 X 18 X 2200 mm
WHITE **MOULDED**
ARCHITRAVE PRIMED



78/94 X 18 X 2200 mm
WHITE **CHAMFERED**
ARCHITRAVE PRIMED

WHITE PRIMED SKIRTING & ARCHITRAVE


White primed skirting and architrave continue to grow in popularity, allowing for customised finishes. This range can be used to match our white primed doors or will also complement our oak and walnut door range. Our profiles are made from moisture-resistant mdf. All our white primed mdf profiles are FSC® certified.



WHITERIVER WHITE
PRIMED CHAMFERED



WHITERIVER WHITE
PRIMED MOULDED




WHITERIVER WHITE
PRIMED CONTEMPORARY



WHITERIVER WHITE
PRIMED DOUBLE
SHAKER



WHITERIVER WHITE
PRIMED SHAKER



WHITERIVER WHITE
PRIMED GEORGIAN



WHITERIVER WHITE
PRIMED VICTORIAN



WHITERIVER WHITE
PRIMED GRANGE

White Primed Skirting & Architrave



144 X 18 X 4200 mm
WHITE **SHAKER**
SKIRTING PRIMED



144 X 18 X 4200 mm
WHITE **CONTEMPORARY**
SKIRTING PRIMED



180/210 X 22 X 4200 mm
WHITE **VICTORIAN**
SKIRTING PRIMED



180 X 22 X 4200 mm
WHITE **GRANGE**
SKIRTING PRIMED



94 X 18 X 2200 mm
WHITE **SHAKER**
ARCHITRAVE PRIMED



94 X 18 X 2200 mm
WHITE **CONTEMPORARY**
ARCHITRAVE PRIMED



94 X 22 X 2200 mm
WHITE **VICTORIAN**
ARCHITRAVE PRIMED



94 X 22 X 2200 mm
WHITE **GRANGE**
ARCHITRAVE PRIMED



**144MM PRE-FINISHED
CONTEMPORARY PAINTED
GREY SKIRTING**
144 X 18 X 4200MM



**94MM PRE-FINISHED
CONTEMPORARY PAINTED
GREY ARCHITRAVE**
94 X 18 2200MM



WHITE PRIMED FRAME WITH STOP
108/133 X 30MM



WHITE PRIMED T-LIPPING
22 X 55MM



104 X 25MM PLINTH BLOCKS
88/104 X 150 X 25MM



104 X 30MM PLINTH BLOCKS
104 X 190 X 30MM



WHITE PRIMED HOCKEY STICK
32 X 18 X 2195MM




WINDOW BOARD
25 X 244/294 X 3660MM

ENGINEERED DOOR FRAME, STOP & LINER BY WHITERIVER

Door frame is an essential component in the installation of doors. Our door frames come prefinished in both oak and walnut engineered mixed hardwood core to match your range of Whiteriver or Seadec Doors. Each door frame set includes matching door stop.



**105/133/144MM
OAK DOOR FRAME**
Varnished (Whiteriver)



DOOR FRAME
105mm/133mm/144mm x 30mm

ENGINEERED DOOR FRAME & STOP BY SEADec

Seadec oak door frame is manufactured using choice real wood veneers combined with an engineered core. The oak frame is factory finished with a high quality PU finish.



**133MM OAK DOOR FRAME
WITH STOP**
Varnished (Seadec)




**44MM OAK
DOOR STOP**
Varnished



**44MM OAK
DOOR LINER**
Varnished



**94MM OAK
DOOR LINER**
Varnished



DOOR STOP
12 x 44mm (included in door frame set)

T-LIPPINGS



SOLID OAK T-LIPPING
22 X 55MM

OAK

SKIRTING & ARCHITRAVE

Oak mouldings specially designed with a mixed core to ensure a perfect style match with oak doors. Pre-finished to a very high standard, providing a quality and durable closed pore finish.

BY WHITERIVER



119mm Oak
MOULDED
Skirting Varnished



144mm Oak
MOULDED
Skirting Varnished



144mm Oak
CONTEMPORARY
Skirting Varnished



144mm Oak
CHAMFERED
Skirting Varnished



69mm Oak
MOULDED
Architrave Varnished




94mm Oak
MOULDED
Architrave Varnished




78mm Oak
CONTEMPORARY
Architrave Varnished




78mm Oak
CHAMFERED
Architrave Varnished




MOULDED
SKIRTING
119/144 x 18 x 3600mm




CONTEMPORARY
SKIRTING
144 x 18 x 3600mm




CHAMFERED
SKIRTING
144 x 18 x 3600mm



MOULDED
ARCHITRAVE
69/94 x 18mm



CONTEMPORARY
ARCHITRAVE
78 x 18mm



CHAMFERED
ARCHITRAVE
78 x 18mm



WHITERIVER OAK
MOULDED (119/69mm)





WHITERIVER OAK
MOULDED (144/94mm)



WHITERIVER OAK
CHAMFERED



WHITERIVER OAK
OAK CONTEMPORARY



OAK HOCKEY STICK
20mm x 31mm

DOOR SIZES & SPECS

If you are buying replacement doors, DO NOT measure the existing door. You must always base your measurements on the door frame.

Door width: Take three measurements inside the door frame - at the top, middle and bottom. The widest measurement determines the width of the door. Door height: Measure the inside of each vertical side of the frame. The longest length determines the height required. Remember to make allowance for any floor covering.

REGENCY DOORS	80X34	80X32	78X30	78X28	78X26	78X24	78X33	78X27
	2032 x 864	2032 x 813	1981 x 762	1981 x 711	1981 x 660	1981 x 610	1981 x 838	1981 x 686
6P Woodgrain	X	X	X	X	X	X		
2P/2P Glazed Woodgrain	X	X	X					
2P Smooth	X	X	X	X	X	X		
EXCLUSIVE GREY RANGE	80X34	80X32	78X30	78X28	78X26	78X24	78X33	78X27
Genoa	X	X	X	X	X	X	X	X
Napoli Clear & Frosted	X	X	X				X	
Florence	X	X	X	X	X	X	X	X
Tuscany Clear or Opaque	X	X	X				X	
"NEW" LAMINATE DOORS	80X34	80X32	78X30	78X28	78X26	78X24	78X33	78X27
Kingston 2P Oak Crema	X	X	X	X	X	X	X	X
Albany 2P Oak Crema	X	X	X	X			X	
Albany 2P Oak Crema Opaque	X	X	X	X	X	X	X	
Hampton 1P Oak Alpine	X	X	X	X	X	X	X	X
Cheshire 1P Oak Alpine	X	X	X	X			X	
Cheshire 1P Oak Alpine Opaque	X	X	X	X			X	
Hampton 1P Oak Natural	X	X	X	X	X	X	X	X
Cheshire 1P Oak Natural	X	X	X	X			X	
Cheshire 1P Oak Natural Opaque	X	X	X	X			X	
Hampton 1P Oak Arctic	X	X	X	X	X	X	X	X
Cheshire 1P Oak Arctic	X	X	X	X			X	
Cheshire 1P Oak Arctic Opaque	X	X	X	X			X	
Augusta 4P Oak Natural	X	X	X	X	X	X	X	X
Columbus 4P Oak Natural	X	X	X	X			X	
Columbus 4P Oak Natural Opaque	X	X	X	X			X	
Boston Oak	X	X	X	X	X	X		
Boston Oak Clear Glass	X	X	X	X				
Boston Oak Lismore Clear Glass	X	X	X	X				
Boston Oak Nevada Clear Glass	X	X	X	X				

WHITE PRIMED	80X34	80X32	78X30	78X28	78X26	78X24	78X33	78X27
	2032 x 864	2032 x 813	1981 x 762	1981 x 711	1981 x 660	1981 x 610	1981 x 838	1981 x 686
Kingscourt 4P	X	X	X	X	X	X	X	X
Waterford 2P/2G Unglazed	X	X	X	X			X	
Waterford Glass 1-6	X	X	X	X			X	
Cambridge 4P	X	X	X	X	X	X	X	X
Oxford 2P/2G Unglazed	X	X	X	X			X	
Oxford 2P/2G Glass 3	X	X	X	X			X	
Nevada Sheeted	X	X	X	X	X	X	X	X
Arizona 9P Glazed	X	X	X	X			X	
Hampton 1P	X	X	X	X	X	X	X	X
Cheshire 1P Glazed	X	X	X	X	X	X	X	
Augusta 4P	X	X	X	X	X	X	X	X
Columbus 4P Glazed	X	X	X	X			X	
Kingston Bolection 2P	X	X	X	X	X	X	X	X
Albany Bolection 2P Glazed	X	X	X				X	
Trenton 1P Stepped	X	X	X	X	X	X	X	X
Madison 1P Stepped Glazed	X	X	X				X	
Nevada Half Glass	X	X	X				X	
Cheshire Frosted Clear Border	X	X	X	X	X	X	X	
Sussex Plank	X	X	X	X	X	X	X	X
Somerset Plank Glazed	X	X	X				X	
Ashford Bolection	X	X	X	X	X	X	X	X
Avoca Unglazed Bolection	X	X	X	X			X	
Woodford	X	X	X	X	X	X	X	X
Carrick Glazed	X	X	X	X			X	
Portroe	X	X	X	X	X	X	X	X
Lismore Glazed	X	X	X	X			X	
Sydney	X	X	X	X	X	X	X	X
Maryland	X	X	X					
Delaware	X	X	X					
OAK BOLECTION	80X34	80X32	78X30	78X28	78X26	78X24	78X33	78X27
Longford 2P/2G Unglazed	X	X	X					
Longford 2P/2G Glazed 3-6	X	X	X					

FIRE DOORS

OAK DOORS	80X34	80X32	78X30	78X28	78X26	78X24	78X33	78X27
	2032 x 864	2032 x 813	1981 x 762	1981 x 711	1981 x 660	1981 x 610		1981 x 686
Kingscourt 4P	X	X	X	X	X	X	X	X
Waterford 2P/2G Unglazed	X	X	X	X			X	
Longford 2P/2G Unglazed	X	X	X	X			X	
Nevada Sheeted	X	X	X	X	X	X	X	X
Arizona 9P Glazed	X	X	X	X			X	
Hampton 1P	X	X	X	X	X	X	X	X
Cheshire 1P Glazed	X	X	X	X			X	
Augusta 4P	X	X	X	X	X	X	X	X
Colombus 4P Glazed	X	X	X				X	
Waterford 2P/2G Glazed 1-6	X	X	X	X			X	
Waterford 2P/2G Clear Glass	X	X	X	X			X	
Waterford 2P/2G Frosted Glass	X	X	X	X			X	

Seadec doors are available in a choice of eight standard sizes listed below.
We also stock an extended range of metric sizes in Fire Doors.

FEET	METRIC	INCHES
6ft 8ins x 2ft 10ins	2032mm x 864mm	80ins x 34ins
6ft 8ins x 2ft 8ins	2032mm x 813mm	80ins x 32ins
6ft 6ins x 2ft 6ins	1981mm x 762mm	78ins x 30ins
6ft 6ins x 2ft 4ins	1981mm x 711mm	78ins x 28ins
6ft 6ins x 2ft 2ins	1981mm x 660mm	78ins x 26ins
6ft 6ins x 2ft	1981mm x 610mm	78ins x 24ins
Additional Northern Ireland Sizes		
6ft 6ins x 2ft 9ins	1981mm x 838mm	78ins x 33ins
6ft 6ins x 2ft 3ins	1981mm x 686mm	78ins x 27ins

SEADec PANEL EI30	80X34	80X32	78X30	78X28	78X26	78X24	78X33	2040X926	2040X826	2040X726	2040X626
Kingscourt Oak 4P FD30	X	X	X	X	X	X	X				
Hampton Oak 1P FD30	X	X	X	X	X	X	X				
Hampton Primed 1P	X	X	X	X	X	X	X				
Trenton Primed 1P Stepped	X	X	X	X	X	X	X				
Cheshire Oak	X	X	X				X				
Cheshire White	X	X	X				X				
Nevada White	X	X	X	X	X	X	X	X	X		
York White	X	X	X	X	X	X	X	X	X		
Newbury White	X	X	X	X	X	X	X	X	X		
Utah Oak Ladder Effect	X	X	X	X		X	X				
SEADec GROOVED EI30	80X34	80X32	78X30	78X28	78X26	78X24	78X33				
Colorado	X	X	X	X	X	X	X	X			
Utah	X	X	X	X	X	X	X	X			
Ohio	X	X	X	X	X	X	X	X			
Idaho	X	X	X	X	X	X	X	X			
Dakota	X	X	X	X	X	X	X	X			
SEADec GLAZED CLEAR EI30	80X34	80X32	78X30	78X28	78X26	78X24	78X33				
DFG01	X	X	X	X			X	X			
DFG34	X	X	X	X			X	X			
DFG41	X	X	X	X			X	X			
DFG56	X	X	X	X			X	X			
SEADec GLAZED G/WIRE FD30	80X34	80X32	78X30	78X28	78X26	78X24	78X33				
DFG01	X	X	X	X			X	X	X		
DFG34	X	X	X	X			X	X	X		
DFG56	X	X	X	X			X	X	X		
SEADec FLUSH EI30	80X34	80X32	78X30	78X28	78X26	78X24	78X33				
White Primed	X	X	X	X	X	X	X	X	X	X	X
Oak Prefinished	X	X	X	X	X	X	X	X	X	X	X
Printed Grey	X	X	X	X	X	X	X	X	X	X	X
SEADec GLAZED FD60 CLEAR & G/WIRE	80X34	80X32	78X30	78X28	78X26	78X24	78X33				
White Primed	X	X	X					X	X		
Oak Prefinished	X	X	X					X	X		
Printed Grey	X	X	X					X	X		

CARE AND INSTALLATION GUIDE

For fire doors please refer to their certification for fitting instructions.

BEFORE YOU START

Your Seadec door and accessories (frames, skirting & architrave) must be stored flat on a clean, dry and level surface, with level battens to allow the air to circulate. To allow your door and accessories to acclimatise to their environment, they should be left in the house, for at least 7 days, with the heating and environment regulated per installation guidelines below. Doors should be stored flat. Environmental and door moisture readings should be taken prior to hanging and recorded, to ensure that the doors and the environment are in correct. Failure to allow the doors to acclimatise may cause excessive expansion and contraction leading to splitting and warping and will void the guarantee.

Unfinished or primed doors must be sealed and painted immediately after hanging with at least three coats applied.

Seadec doors and accessories must not be installed into a house that is freshly plastered, tiled or painted, it is crucial that building is properly dried out and that heating and humidity in building are stable before doors or accessories are brought on site or fitted, please ensure the building meets with the moisture and temperature guidelines below. Should a door require alteration, cutting or planing, it must be immediately varnished with three coats, otherwise it will absorb moisture which can lead to problems such as warping or splitting. Seadec doors may be altered by up to 10mm off the top and bottom and up to 7mm on each side only. However, any alteration of a Seadec door will void the warranty. For Fire Door alterations, please consult the relevant fire certificate.

Where doors are manufactured with solid timber, there has to be a consideration that timber will adjust itself to the environment. **Therefore, please note that there is a BS standard of +/- 4mm of a bow tolerance on the length of a door.**

PACKAGING

Prior to removing the packaging, ensure that the doors, frames, skirting and architrave are the correct size and colour. Prior to removing from packaging, inspect each door, frame and piece of skirting and architrave in daylight for any visible faults or defects, also check the colour structure and finish. Once any Seadec product is removed from its packaging, it is deemed to be acceptable and cannot be returned for any visible faults or defects. Please note: Timber is a natural product and may show variations in colour or graining.

FRAMES

Ensure that the frames where the doors are being fitted into are plumb, and that the doors are not strained to fit into uneven framing. Fit 3 hinges on all doors at all times.

INSTALLATION AREA MOISTURE

The area of installation (the concrete floor and walls) must not be over 4% moisture content. This can be tested with an appropriate moisture meter. The temperature be between 18° - 22° and the relative humidity between 40% – 60%, while the doors are being stored, before, during and after the installation. Do not bring doors, skirting or architrave into a house or site which does not meet the above conditions.

LOCKS AND HANDLES

When fitting a lock or a handle, it is best not to fit the lock where the stile (uprights) meets the rail (horizontals) as this will weaken the structure of the door.

ROOM CONDITIONS

Timber likes pleasant room conditions, just like us, a room temperature of approx 20°C and humidity of about 50% – 60%.

CLEANING

- Use a clean dry cloth to clean the doors.
- Furniture polish may also be used.
- Never use wax or aggressive detergents or products containing ammonia or silicates on Seadec products.
- Our frosted medical glass should be cleaned with a dry, soft cotton cloth. Do not use damp cloths.

PROTECTING YOUR SEADEC PRODUCTS

Ensure that rooms are well ventilated, particularly in rooms where there are large changes in temperature and moisture. In the event of a proven manufacturing defect, Seadec or the Seadec retailer's total liability shall under no circumstances exceed the value of the defective product. Seadec or the Seadec retailer's shall not in any way be responsible for any additional consequential costs or losses. If you are unclear of any of the above instructions, contact your local Seadec supplier.



HOW TO **FINISH SEADec** WHITE PRIMED PRODUCTS

Preparation is key to any project no matter how big or small. Firstly select a good, dry, clean space to lay the product down flat prior to finishing with sufficient room to work around and where the product can be left to dry. As with all painting projects adequate ventilation during painting and drying is essential.

The next step is to spend a few minutes checking for any imperfections that may require filling and fine sanding - this is key to achieving a flawless finish and a vital step in the process. The top and bottom of door must be painted the same way to ensure they are fully sealed.

Once the surface is clean and dust free, apply a water based undercoat which will allow better adhesion for your chosen finish.

When the undercoat is dry, give the surface a light sanding before applying your chosen oil or water based finishing coat.

Paint manufacturer's drying guidelines will vary therefore it is important follow them. While "touch dry" may allow you to handle the product it may not be sufficiently dry to begin fitting hinges and handles until full recommended drying time is completed.



*Seadec Doors
add a touch
of warmth
to your home...*



BOSTON OAK LISMORE CLEAR GLASS





AUGUSTA OAK 4 PANEL

seadec
doors for living...



www.seadec.ie